

In re Application of:

Serial No:

Filed:

Title:

Force, et al

10/040,244

October 26, 2001

ISOLATION AND

ANTIBODY

CHARACTERIZATION OF

HIGHLY ACTIVE ANTI-CD40

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Examiner: NYA

Art Unit: 1644

Certificate of Mailing Under §1.8

I, Karyn F. Massie, hereby certify that this paper or fee is being deposited with the United States Postal Service as Regular Mail Post Office to Addressee service under 37 C.F.R. § 1.10 on the date indicated below and is addressed to the Hon. Commissioner of Patents and Trademarks, Washington D.C. 20231 on March 20, 2003.

y: Nuy Massie
Karyn F. Massie

March 20, 2003

INFORMATION DISCLOSURE STATEMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Sir:

Attached is Form PTO-1449 listing the enclosed citations submitted in compliance with the duty of disclosure as defined in 37 C.F.R. §1.56.

Contingent Request Under Rule 97(c): Should a first action on the merits have been issued on the same day or before this Information Disclosure Statement is filed, please accept this Information Disclosure Statement under Rule 97(c) and charge the requisite Rule 17(p) fee to our Deposit Account No. 03-3975, under the above Attorney Docket No., and proceed to consider this Information Disclosure Statement.

This IDS is intended to be in full compliance with the rules, but should the Examiner find any part of its required content to have been omitted, <u>prompt</u> notice to that effect is earnestly solicited, along with additional time under Rule 97(f), to enable Applicant to comply fully.

This Information Disclosure Statement is not to be constructed as a representation that any of the listed citations establishes, by itself or in combination with other information, a prima facie case of unpatentability of any claim in the above-identified patent application.

Additionally, in accordance with 37 C.F.R. 1.97(g), the filing of this Information Disclosure Statement shall not be construed to mean that a search has been made, or that additional information unknown to the Applicant and relevant to the examination of this patent application does not exist.

Consideration of the foregoing and enclosures plus the return of a copy of the enclosed Form PTO-1449 with the Examiner's initials in the left column per MPEP 609 are earnestly solicited along with an early action on the merits.

Applicant believes no fee is due at this time, however, if applicant is mistaken, the Assistant Commissioner of Patents is hereby authorized to charge any fees that may be necessary to Deposit Account No. 03-3975, Order No. 021286-0272501.

Respectfully submitted,

Date: 30-03

Robert M. Bedgood Ph.D. Registration No. 43,488

PILLSBURY WINTHROP LLP 11682 El Camino Real, Suite 200 San Diego, CA 92130

Telephone: (858) 509-4065 Fax Line: (858) 509-4010

			—		Control Control												
To: じ.S. (PW FOF	Depa RM PA	I49 (modified) Intment of Commerce NT-1449) Id Trademark Office	P	O	2 4 2003	NC58 4		Atty. Dkt. No.	11VI#				Clien	t Ref	-	*	_
			18	V.					0212	96 027250	4		├				_
INEODE	#AT	ION DISCLOSUR	E ST	Q ATEX	DENGEN			Applicant		86-027250			<u> </u>				_
BY APP			(E 31/	4 I EN	HEN I			Applicant	: Forc	e, W., et a	1.						
								Appln. No	o.: 10/	040.244							-
										ober 26, 20	001						-
Date: Ma	arch 2	20, 2003	Page	1	of	3		Examiner				gue	Art U	nit:	1644		-
U.S. PAT	ENT	DOCUMENTS											i.diği				120
Examin er's Initials*		Document Number		Date MM/\	/ YYY	Name (Family l	Name (of First Inv			Clas		Sub Clas		Filin Date	g e	
muais	AR	<u> </u>	_	_							+				(if app	propriat	te
	BR										-				├		_
FOREIG		TENT DOCUMEN	TC .	Na shiri							, Donas				 		=
i OIVLIO	Nellida	Document	Date		Count		1	tor Name					glish stract		Trans Read	slation ily	ł
		Number	MM/Y	YYY		.,			İ						Availa	able	
												Enc	losed	No	Enclo	se N	c
	CR	WO 91/09115	06/199)1	PCT		Banci	nereau				Υ			\vdash	\top	-
	DR	WO 96/33735	10/199	96	PCT		Kuch	erlapati				Υ.	-1		7	<u>a</u>	_
	ER	WO 96/34096	10/199	6	PCT		Kuche	erlapati				Y	0			П	-
		WO 99/61051	12/199	9	PCT		Segal					Υ		R		7	-
	GR	WO 00/00156	01/200	0	PCT		Wade	;				Υ	CEN.	70		त	
			12/200	0	PCT		Siega	11				Υ	ELEM		7 1	7	_
			04/200		PCT		Keting]				Υ	B		20	Ti	_
		WO 01/56603	08/200		PCT		Thom	as				Υ	IPRB		الست	H	Ī
			04/200		PCT		Chu					Υ	96				
			09/199		EP	-	De Bo					Υ_					_
			01/200		EP	xwg.ons.	Tomiz		. 2773.01.2672	w.	1	Y				\perp	_
JIHEK (Inclu	ding in this order A	uthor,	litle, l	Periodi	cal Name	, Date	Pertinent	Pages	s, etc.)	X.,				ı		
		Kwekkeboom, et al., "Helper effector function of human T cells stimulated by anti- CD3 mAb can be enhanced by co-stimulatory signals and is partially dependent on CD40-CD40 ligand interaction," <u>Eur. J. Immunol</u> , (1994), Vol. 24, pp. 508-517.									i- on	`	Y				
	OR										рр.	Y					
		Pound, et al., "Mini suppression of apo homotyic adhesion 20.	ptosis	contra	ast with	n those fo	r prom	otion of th	e cell d	vole and	1	١	/				
	QR	Francisco, et al., "A	gonist Canc	c Pro er Res	perties search,	and <i>in V</i> , (June 1	<i>ivo</i> Ant 5, 2000	itumor of t), Vol. 60.	the Ant	i-CD40 25-3231		Y	, †	+		-	-
1	RR	Antibody SGN-14," Cancer Research, (June 15, 2000), Vol. 60, pp. 3225-3231. Romano, et al., "Triggering of CD40 Antigen Inhibits Fludarabine-Induced Aoptosis in B Chronic Lymphocytic Leukemia Cells," Blood, (August 1, 1998) Vol. 98, No. 3, pp. 990-995.															
		Hirano, et al., "Inhit Recombinant Hum 3007.	oition of an CD4	Hum O Lig	an Bre and," <u>I</u>	east Carci <u>Blood,</u> (M	noma ay 1, 1	Growth by 999), Vol.	a Solu 93, No	ble 5. 9, pp. 29	99-	Y					

PE	TR	Francisco, et al., *Construction, Expression, and Characterization of BD1-G28-5 sFv, a Single-chain Anti-CD40 Immunotoxin Containing the Ribosome –inactivating Protein Bryodin 1," <u>Journal of Biological Chemistry</u> , (Sept. 26, 1997), Vol. 272, No.	Y			
2003	8	39, pp. 24165-24169.				
7. ADIMAS	JR J	Maxwell, et al., "Contrasting the Roles of Costimulation and the Natural Adjuvant Lipopolysaccharide During the Induction of T Cell Immunity," <u>J. Immunol.</u> , (May 1, 2002), Vol. 168, No. 9, pp. 4372-4381.	Y			
	/R 	Simonsson, et al., "Single, Antigen-Specific B Cells Used to Generate Fab Fragments Using CD40-Mediated Amplification or Direct PCR Cloning," BioTechniques, (1995), Vol. 18, No. 5, pp. 862-869.	在公	Z	규	
V	VR	Dullforce, et al., "Enhancement of T cell-independent immune responses <i>in vivo</i> by CD 40 antibodies," Nature Medicine, (Jan. 1998), Vol. 4, No. 1, pp.88 – 91.	CENT	MAR 2	(7
×		Erickson, et al., "Short-circuiting long-lived humoral immunity by the heightened engagement of CD40," <u>The J. of Clinical Investigation</u> , (March, 2002), Vol. 109, No. 5, pp. 613-620.	TEB 1800/290	B CHAS		N N
Y	'R	Murphy, et al., "Antibodies to CD40 Prevent Epstein-Barr Virus- Mediated Human B-Cell Lymphomagenesis in Severe Combined Immune Deficient Mice Given Human Peripheral Blood Lymphocytes," <u>Blood.</u> (September 1, 1995), Vol. 86, No. 5, pp. 1946-1953.	2900			J
		Funakoshi, et al., "Differential In Vitro and In Vivo Antintumor Effects Mediated by Anit-CD40 and Anti-CD20 Monoclonal Antibodies Against Human B-Cell Lyphomas," J. of Immunology, (1996) Vol. 19, No. 2, pp. 93-101.	Y			
		Schwabe, et al., "Modulation of Soluble CD40 Ligand Bioactivity with Anti-CD40 Antibodies," <u>Hybridoma</u> , (1997), Vol. 16, No. 13, pp. 217-226.	Υ	_		1
В	BR	Funakoshi, et al., "Inhibition of Human B-Cell Lymphoma Growth by CD40 Stimulation," <u>Blood</u> , (May 15, 1994), Vol. 83, No. 10, pp. 2787-2794.	Y			
С	CR	Rolink, et al., "The SCID but Not the RAG-2 Gene Product Is Required for Sμ-Sε Heavy Chain Class Switching," Immunity, (October, 1996) Vol. 5, pp. 319-330.	Y			1
D	DR	Kwekkeboom, et al., "CD40 plays and essential role in the activation of human B cells by murine EL4B5 cells," Immunology, (1993), Vol. 79, pp. 439-444.	Y			1
E	ER	Zhou, et al., "An Agonist Anti-Human CD40 Monoclonal Antibody that Induces Dendritic Cell Formation and Maturation and Inhibits Proliferation of a Myeloma Cell Line," Hybridoma, Vol. 18, No. 6, 1999, pp. 471-478.	Y			
F	FR	Heath, et al., "Monoclonal antibodies to murine CD40 define two distinct functional epitopes," Eur. J. Immunology, (1994) Vol. 24, pp. 1828-1834.	Y			+
G	GR	Mazzei, et al., "Recombinant Soluble Trimeric CD40 Ligand Is Biologically Active," Journal of Biological Chemistry, (March 31, 1995), Vol. 270, No. 13, pp. 7025-7028.	Y			+
Н	HR	Hasbold, et al., "Properties of mouse CD40: cellular distribution of CD40 and B cell activation by monoclonal anti-mouse CD40 antibodies," <u>Eur. J. Immunology</u> ., (1994) Vol. 24, pp. 1835-1842.	Y			
118	ŀ	Weng, et al., "Human Anti-CD40 Antagonistic Antibodies Inhibit the Proliferation of Human B Cell Non-Hodgkin's Lymphoma," Program of the 43 rd Annual Meeting of The American Society of Hematology, (December 7-11, 2001), Abstract No. 1947, page 466a.	Y			
JJ	- 1	Ledbetter, et al., "Agonistic Activity of a CD40-Specific Single-Chain Fv Constructed from the Variable Regions of mAb G28-5," <u>Critical Reviews in Immunology</u> , (1997), Vol. 17, pp. 427-435.	Y			
	<u> </u>	de Boer, et al., "Generation of monoclonal antibodies to human lymphocyte cell surface antigens using insect cells expressing recombinant proteins," <u>Journal of mmunological Methods</u> , (1992) Vol. 152, pp. 15-23.	Y			
	R I	Karlsson, et al., "Selection of human single chain antibodies against CD-40," mmunology Letters, Vol. 73, Nos. 2,3, Abstract No. 358.	Υ	+		
M	MF(S	Sotomayor, et al., "Conversion of tumor-specific CD4 T-cell tolerance to T-cell priming through in vivo ligation of CD40," <u>Nature</u> , (July, 1999), Vol. 5, No. 7, pp. 780-787.	Y			

. 6.	R Diehl, et al., "CD46 activation in vivo overcomes peptide-induced peripheral cytotoxic T-lymphocyte-tolerance and augments anti-tumor vaccine efficacy," Nature Medicine, (July 1999) Vol. 5, No. 7, pp. 774-779.	Y	
4/	RSchoenberger, et al., "T-cell help for cytotoxic T lymphocytes is mediated by CD40-CD40L interactions," Nature, (June 4, 1998), Vol. 393, pp.480-483.	Y	
MARKA	R van Mierlo, et al. "CD40 stimulation leads to effective therapy of CD40-tumors through induction of strong systemic cytotoxic T lymphocyte immunity," <u>PNAS</u> , (April 16, 2002) Vol. 99, No. 8, pp. 5561-5566.	Y	
QC	RAn, et al., "Ligation of CD40 Potentiates Fas-Mediated Activation of the Cysteine Protease CPP32, Cleavage of Its Death Substrate PARP, and Apoptosis in Ramos – Burkitt Lymphoma B Cells," Cellular Immunology, (1997) Vol. 181, pp. 139-152.	Y	
	RBarr, et al., "Functional activity of CD40 antibodies correlates to the position of binding relative to CD154," Immunology, (2001) Vol. 102, pp. 39-43.	Y	
SS	R Baccam, et al., "Membrance-bound CD154, but not CD40-specific antibody, mediates NF-xB-independent IL-6 production in B cells," <u>Er. J. Immunol.</u> , (1999), Vol. 29, pp. 3855-3866.	Y	
TTF	Kedl, et al., "CD40 stimulation accelerates deletion of tumor specific CD8+ T cells in the absence of tumor-antigen vaccination," <u>PNAS</u> , (September 11, 2001) Vol. 98, No. 19, pp. 10811-10816.	Y	
UU	R Tomizuka, et al., "Double trans-chromosomic mice: Maintenance of two individual human chromosome fragments containing lg heavy and <i>k</i> loci and expression of fully human antibodies," PNAS, (January 18, 2000) Vol. 97, No. 2, pp. 722-727.	Y	
VVI	Boon, et al., "Preclinical assessment of anti-CD40 Mab 5D12 in cynomolgus monkeys," Toxicology, (2002), Vol. 174, pp. 53-65.	Y	
w	/R		
XXI	₹		
YYF	₹		
ZZF			
caminer	Date Considered:		

in conformance and not considered. Include copy of this form with next communication to Applicant.

RECEIVED MAR 2 5 2003 TECH CENTER 1600/2900